# JHARKHAND ISPAT PRIVATE LIMITED

ADMN. OFFICE

: Near P.N. Bank, Main Road, Ramgarh Cantt.

Dist. - Ramgarh (Jharkhand) - 829 122

CIN Telephone U34102UP1991PTC012872

: 06553-226846, 224601, Fax: 226845

E-mail: jiplramgarh@gmail.com



**WORKS:** 

Vill, & P.O.- Hesla, Argada Dist.- Ramgarh (Jharkhand)

PIN. - 829 101

Re	f	N	0										
		IV											

JIPL/072/2023-24

Date.....

14/09/2023

To. The Member Secretary. Jharkhand State Pollution Control Board, HEC Campus, TA Division Building, Durwa, Ranchi - 834 004. Jharkhand

Sub: Submission of Environmental Statement Report from the period of April 2022 to March 2023 for our Coal based Sponge Iron & M.S. Billet Plant.

Dear Sir,

With reference to the above subject, we are enclosing herewith the Environmental Statement Report for the period from April 2022 to March 2023 of our Sponge Iron & M.S. Billet plant.

Please find above in order and do the needful.

Thanking you,

Yours faithfully, For JHARKHANFD ISPAT PVT.LTD.

Manoj Kumar

Manager (Environment)

Encl: As above.

CC to: - The Regional Officer, Regional Office, State Pollution Control Board, Hazaribagh (Jharkhand)

RJ303951017IN IVR:8274303951 RL RAMGARH CANTT HD (829122) Counter No:1,22/09/2023,11:38 TO: THE REGIONAL , HAZARIBASH PIN:025301, Hazaribagh HD

From:JHARKHAND ISPAT ,ARGADA

Wt:25oms Amt: 27.00(Cash)

(Track on www.indiapost.gov.in) (Dial 18092666868) (Wear Hasks, Stay Safe)

## **ENVIRONMENTAL STATEMENT**

#### Jharkhand Ispat Pvt. Ltd.

## Period from: April 2022 to March 2023

### FORM - V PART - A

1.	Name and address of the Owner / Occupier of the Industry operation or process	Jharkhand Ispat Pvt. Ltd. Occupier name – Sri Ram Chandra Rungta Village & PO – Hesla, Via - Argada Dist. – Ramgarh, Jharkhand – 829101
2.	Industry Category Primary (S.T.C. Code) Secondary (S.T.C. Code)	Red Category
3.	Production Capacity	Sponge Iron – 4 X 100 TPD M.S. Billet – 240 TPD
4.	Year of Establishment	2003/2006
5.	Date of the last Environmental Statement Submitted	27/06/2022

### PART - B

#### WATER AND RAW MATERIAL CONSUMPTION

## (I) Water consumption in m3/day:

Process & Cooling

187.68 m3/day (Sponge Iron)

98.54 m3/day (M.S. Billet)

Domestic

5.80 m3/day (Sponge Iron)

3.05 m3/day (M.S. Billet)

	Process Water Consumption per Unit of Product Output							
Name of Product	During Previous Financial Year (2021-22)	During Current Financial Year (2022-23)						
Sponge Iron	0.951	0.921						
MS Billet	0.951	0.921						

## (II) RAW MATERIAL CONSUMPTION:

Name of Raw Material	Name of Product	Consumption of Raw Material Per Unit of Output			
	lates and Otker We Rule	During Current Financial Year (2021-22)	During Current Financial Year (2022-23)		
Coal		1.520	1.296		
Dolomite	Sponge Iron	0.037	0.027		
Iron Ore/Iron Ore Pellets	Riesmold	1.931	1.903		
MS scrap	(2021)	0.304	0.346		
Pig Iron	MS Billet	0.007	0.039		
Sponge Iron (I/F)	tarist to dress.	0.808	0.786		

# (III) POWER CONSUPTION (KWH/MT):

During Previous Financial Year (2021-22)	During Current Financial Year (2022-23)
41.737 KWH/MT of Sponge Iron	19.657 KWH/MT of Sponge Iron
1453.905 KWH/MT of MS Billet	1453.533 KWH/MT of MS Billet

# (IV) TOTAL PRODUCTION (MT):

Product Name	During Previous Financial Year (2021-22)	During Current Financial Year (2022-23)
Sponge Iron	65,598.00	74,340.66
MS Billet	49,060.00	39,031.30

## PART - C

# DISCHARGED TO ENVIRONMENTAL / UNIT OF OUTPUT

Pollutants	Quantity of Pollutants Discharged (Mass/Day)	Concentration of Pollutants in Discharge (Mass/Volume)	Percentage of variation from prescribed standard with reasons				
(a) Water	<ul> <li>No industrial effluent is generated. In compliance to Zero Liquid Discharge (ZLD), the web camera and flow meter are installed with online monitoring facilities.</li> <li>The waste water generated from the office toilet and messes are discharged via septic tank and soaks pits.</li> </ul>						
(b) Air	<ul> <li>Online continu with web conn</li> <li>Unit has install control of fugit</li> </ul>	ous emission monitoring syst ectivity with CPCB & SPCB. led Dust handling system with tive emission from bag filter of mbient Air Quality Monitoring	n 100 m3 capacity silo to				

## PART - D

## **HAZARDOUS WASTE**

(As specified under Hazardous and Other Wastes (Management & Trans boundary Movement) Rules, 2016)

Hazardous	Total Quantity (Ltrs.)				
Waste	During Current Financial Year (2021-22)	During Current Financial Year (2022-23)			
a)From Process	Used gear oil and lubricant are stored in drum and used in different Chain Drive within plant campus.	Used gear oil and lubricant are stored in drum and used in different Chain Drive within plant campus.			
The bas insulted as been placed to covered t	Hazardous waste authorization issued vide letter no JSPCB/HO/RNC/HWM - 1692859/2019/17, dated 29/06/2019, valid upto 30.09.2022.	Hazardous waste authorization issued vide letter no JSPCB/ HO/ RNC/HWM-13308699/2023/22, dated 09/04/2023, valid upto 30.09.2027.			
(b) From Pollution Control Facilities	Not applicable	Not applicable			

## PART – E

## SOLID WASTE

	an enter the total part face.	Total Quantity (MT)						
=	e proposed to the state of the	During Previous Financial Year (2021-22)	During Current Financial Year (2022-23)					
(a)	From Process	AS PCB/HO/ANC/CTL-241						
	1) Dolachar (Coal Chai)	8330.00	88805.00					
	2) Other waste	93039.23	171490.29					
(b)	From Pollution Control Facility	Nil	Nil					
(c)	Quantity recycled or re- utilize	ed within the unit	Liming in 100					
-	1) Sold (Coal Chai)	6337.780	64516.780					
	2) Dispose	93039.23	170031.930					

#### PART-F

# <u>Please specify the characterization (in terms of composition and quantum) of hazardous as</u> well as solid wastes and indicate disposal practice adopted for both the categories of wastes.

- Used gear oil and lubricant are stored in drum and used in different Chain Drive within plant campus.
- Coal Char (Chhai) and other wastes, the solid waste generated in process are being sold at present, the earlier stock of coal char are also being sold as per demand.

#### PART - G

#### <u>Impact Of The Pollution Control Measures On Conservation Of Natural Resources And</u> Consequently On The Cost Of Production

- Unit has 4X100 TPD Sponge iron kilns, installed four numbers of ESP attached to each Rotary kiln stack to control stack emission.
- Unit has installed eight numbers of bag filters at various material transfer points of Sponge Iron plant to control fugitive emissions. One fume extraction system (Ventury Scrubber) is installed with Induction Furnace plant.
- Unit has installed Dust/Ash handling system with 100 m3 capacity silo to control of fugitive emission from bag filter & ESP discharge points.
- Unit has installed eighty numbers of water sprinklers at various places within plant premises to control dust emission / fugitive emission from haul roads.
- All conveyor belts are covered with M.S.Plate.
- All raw materials are kept in covered shed.

#### PART – H

# <u>Additional Measures/Investments Proposal For Environment Protection Including Abatement</u> Of Pollution

- Plantation are made at plant site besides the boundary. We are also doing support for plantation in nearby villages during rainy season every year. New plantations are also made every year in the plant during rainy season.
- EC issued vide letter no F.No.J-11011/41/2013-IA.II(I) dated 07/09/2022.
- The CTE issued vide letter no. JSPCB/HO/RNC/CTE-14198438/2023/1 DT-01/01/2023
- 6 MW Waste Heat Recovery Boiler is installed and operative.

#### PART – I

#### Any other particulates for improving the quality of environment

- Unit has installed two numbers of online Continuous Emission Monitoring System (CEMS) for measurement of particulate matter (PM) & SO<sub>2</sub>.
- The web camera & flow meter has installed with online monitoring facilities.
- Continuous Ambient Air Quality Monitoring System (CAAQMS) PM 10 parameter is installed with online monitoring facilities.
- PM 2.5, SO2 & NOx- CAAQMS Parameter will be installed shortly.
- Unit has installed Telemetry System at One no. of Bore well and piezometer.
- Data of CEMS, Camera & flow meter are continuously updated on CPCB & SPCB server.
- Unit has installed Dust/Ash handling system with 100 m3 capacity silo to control of fugitive emission from bag filter & ESP discharge points.